

# IRe 4100 Pure

Fully integrated fridge for in-cabinet installation with EasyFresh

|                                        |                                   |
|----------------------------------------|-----------------------------------|
| Aperture dimensions height/width/depth | 121.6 - 123.1 / 56 - 57 / 55.0 cm |
| Total volume                           | 201 l                             |
| Type of installation                   | Can be integrated                 |
| Door assembly                          | Fixed door                        |
| Energy efficiency class                | E                                 |
| SmartDeviceBox                         | retrofittable                     |

Easy Fresh

Smart Device ready

Super Silent

LED

Super Cool



> Get help for service

## General product information

|            |                                  |
|------------|----------------------------------|
| Model type | Integrable fridge with EasyFresh |
| GTIN       | 4016803042419                    |
| Series     | Pure                             |

## Output and consumption

|                             |              |
|-----------------------------|--------------|
| Energy efficiency class     | E            |
| Energy consumption per year | 101.50 kWh/a |
| Climate class               | SN-T         |
| Noise level                 | 35 dB        |
| Refrigerant                 | R 600a       |
| Voltage                     | 220-240 V ~  |
| Frequency                   | 50 Hz        |
| Connection rating           | 1.2 A        |

## Control and functions

|                                            |                                     |
|--------------------------------------------|-------------------------------------|
| Number of temperature zones                | 1                                   |
| Number of regulated refrigeration circuits | 1                                   |
| Temperature display                        | Refrigerator                        |
| SuperCool                                  | Adjustable on appliance and via app |
| Power failure alarm                        | –                                   |
| Appliance failure alarm                    | Adjustable on appliance and via app |
| Door alarm, cooling                        | Adjustable on appliance and via app |
| Door alarm, freezing                       | –                                   |

|                     |                                     |
|---------------------|-------------------------------------|
| AlarmLightAmplifier | Adjustable on appliance and via app |
| BottleTimer         | –                                   |
| CleaningMode        | Adjustable on appliance and via app |
| EnergySaver         | Adjustable on appliance and via app |
| Language settings   | –                                   |
| NightMode           | Adjustable on app                   |
| SabbathMode         | Adjustable on appliance and via app |
| Display lock        | Adjustable on appliance             |
| HolidayMode         | Adjustable on appliance and via app |
| SmartDevice         | Adjustable on appliance and via app |
| PartyMode           | Adjustable on appliance and via app |
| SmartDeviceBox      | retrofittable                       |

## Refrigerator compartment

|                                                        |              |
|--------------------------------------------------------|--------------|
| Adjustable temperature range, refrigerator compartment | +2°C to +9°C |
| Refrigerator compartment climate zones                 | EasyFresh    |
| Defrosting method                                      | automatisch  |
| Forced air cooling                                     | –            |
| FreshAir filter                                        | –            |

|                                                     |                                  |
|-----------------------------------------------------|----------------------------------|
| Pull-out system drawer, refrigerator compartment    | Integrated rails                 |
| Illumination cooling compartment                    | LED ceiling lighting             |
| Number of storage shelves, refrigerator compartment | 5                                |
| Of which separable                                  | 0                                |
| of which height-adjustable                          | 4                                |
| VarioSafe                                           | –                                |
| OpenStage drawers                                   | –                                |
| Bottle storage                                      | –                                |
| Bottle rack                                         | 1                                |
| Number of can racks                                 | 3                                |
| VarioBox                                            | –                                |
| VarioBoxes                                          | 0                                |
| Butter dish                                         | –                                |
| Egg tray                                            | 10 eggs                          |
| Storage rack                                        | Flaschen- und Konservenabsteller |
| Height-adjustable inner door shelf                  | Gradual adjustment               |
| Pull-out unit                                       | –                                |

## Design and materials

|                                                  |               |
|--------------------------------------------------|---------------|
| Dry rear panel                                   | –             |
| Material dry back wall                           | –             |
| Inner door décor                                 | –             |
| Material door shelves                            | White plastic |
| Storage shelf material, refrigerator compartment | Glass         |

## Set-up and installation

|                          |                       |
|--------------------------|-----------------------|
| Type of installation     | Can be integrated     |
| Door assembly            | Fixed door            |
| Door hinges              | Right reversible      |
| Door hinge replacement   | Possible for customer |
| Door opening angle       | 115°                  |
| Door seal                | Replaceable           |
| Height-adjustable feet   | 2                     |
| Levelling bars           | –                     |
| Number of levelling bars | 0                     |
| Ventilation              | Ventilation grates    |
| Control                  | basic UI              |

## Specifications

---

|                                        |                                          |
|----------------------------------------|------------------------------------------|
| Aperture dimensions height/width/depth | <b>121.6 - 123.1 / 56 - 57 / 55.0 cm</b> |
|----------------------------------------|------------------------------------------|

---

|                                         |                                   |
|-----------------------------------------|-----------------------------------|
| Height / Width / Depth (with packaging) | <b>1,277.0 / 572.0 / 622.0 mm</b> |
|-----------------------------------------|-----------------------------------|

---

|                            |                 |
|----------------------------|-----------------|
| Weight (without packaging) | <b>39.90 kg</b> |
|----------------------------|-----------------|

---

|                         |                 |
|-------------------------|-----------------|
| Weight (with packaging) | <b>43.00 kg</b> |
|-------------------------|-----------------|

---

|              |              |
|--------------|--------------|
| Total volume | <b>201 l</b> |
|--------------|--------------|

---

|                                   |              |
|-----------------------------------|--------------|
| Volume, refrigerator compartments | <b>202 l</b> |
|-----------------------------------|--------------|

---

|                  |                               |
|------------------|-------------------------------|
| Dimensions H/W/D | <b>121.8 / 55.9 / 54.6 cm</b> |
|------------------|-------------------------------|

---

Please note: despite careful data management, we reserve the right to make technical changes; and discrepancies may occur between the image or text content and the original appliance.

**LIEBHERR**