

IRe 4101 Pure

Fully integrated fridge for in-cabinet installation with EasyFresh

Aperture dimensions height/width/depth	121.6 - 123.1 / 56 - 57 / 55.0 cm
Total volume	182 l
Type of installation	Can be integrated
Door assembly	Fixed door
Energy efficiency class	E
SmartDeviceBox	retrofittable

Easy Fresh

Smart Device ready

Super Silent

LED

Super Cool



> Get help for service

General product information

Model type	Integrable fridge with EasyFresh
GTIN	4016803042433
Series	Pure

Output and consumption

Energy efficiency class	E
Energy consumption per year	148.90 kWh/a
Climate class	SN-ST
Noise level	35 dB
Refrigerant	R 600a
Voltage	220-240 V ~
Frequency	50 Hz
Connection rating	1.2 A

Control and functions

Number of temperature zones	2
Number of regulated refrigeration circuits	1
Temperature display	Refrigerator
SuperCool	Adjustable on appliance and via app
Power failure alarm	–
Appliance failure alarm	Adjustable on appliance and via app
Door alarm, cooling	Adjustable on appliance and via app
Door alarm, freezing	–

AlarmLightAmplifier	Adjustable on appliance and via app
BottleTimer	–
CleaningMode	Adjustable on appliance and via app
EnergySaver	Adjustable on appliance and via app
Language settings	–
NightMode	Adjustable on app
SabbathMode	Adjustable on appliance and via app
Display lock	Adjustable on appliance
HolidayMode	Adjustable on appliance and via app
SmartDevice	Adjustable on appliance and via app
PartyMode	Adjustable on appliance and via app
SmartDeviceBox	retrofittable

Refrigerator compartment

Adjustable temperature range, refrigerator compartment	+2°C to +9°C
Refrigerator compartment climate zones	EasyFresh
Defrosting method	automatisch
Forced air cooling	–
FreshAir filter	–

Pull-out system drawer, refrigerator compartment	Integrated rails
Illumination cooling compartment	Light, both sides
Number of storage shelves, refrigerator compartment	4
Of which separable	0
of which height-adjustable	3
VarioSafe	–
OpenStage drawers	–
Bottle storage	–
Bottle rack	1
Number of can racks	3
VarioBox	–
VarioBoxes	0
Butter dish	–
Egg tray	10 eggs
Storage rack	Flaschen- und Konservenabsteller
Height-adjustable inner door shelf	Gradual adjustment
Pull-out unit	–

Freezer compartment

Storage time during interruptions in power supply	9.00 h
---	--------

Total freezing capacity	2.00 kg / 24h
-------------------------	---------------

4-star freezer compartment door	Hinged, towards front
---------------------------------	-----------------------

Number of glass shelves, 4-star freezer compartment	0
---	---

Star-coding	4
-------------	---

Design and materials

Dry rear panel	—
----------------	---

Material dry back wall	—
------------------------	---

Inner door décor	—
------------------	---

Material door shelves	White plastic
-----------------------	---------------

Storage shelf material, refrigerator compartment	Glass
--	-------

Set-up and installation

Type of installation	Can be integrated
----------------------	-------------------

Door assembly	Fixed door
---------------	------------

Door hinges	Right reversible
-------------	------------------

Door hinge replacement	Possible for customer
------------------------	-----------------------

Door opening angle	115°
Door seal	Replaceable
Height-adjustable feet	2
Levelling bars	–
Number of levelling bars	0
Ventilation	Ventilation grates
Control	basic UI

Specifications

Aperture dimensions height/width/depth	121.6 - 123.1 / 56 - 57 / 55.0 cm
Height / Width / Depth (with packaging)	1,277.0 / 572.0 / 622.0 mm
Weight (without packaging)	40.40 kg
Weight (with packaging)	44.00 kg
Total volume	182 l
Volume, refrigerator compartments	167 l
Volume, freezer compartments	16 l
Of which 4-star compartment	15.9 l
Dimensions H/W/D	121.8 / 55.9 / 54.6 cm

Please note: despite careful data management, we reserve the right to make technical changes; and discrepancies may occur between the image or text content and the original appliance.

LIEBHERR